



POWER PRODUCTS GROUP, LLC

# Pump Data Sheet

June 6 2006

30 ml = 1 oz.

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
0401-0	General	3.0 GPM 2100 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3900	3450
0457-0	Annovi	3.0 GPM 1800 psi Sears 580.751510	30w non-detergent dipstick	B & S 5HP	3800	3450
0485-0	General	3.0 GPM 2100 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3500	3900
0485-1	General	3.0 GPM 2100 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3500	3900
0501-0	Generac	2.0 GPM 1600 psi Sears 580.742380	80w90 285ml	Generac GN220 7.8HP	3900	3550
0502-0	Generac	2.5 GPM 1900 psi Sears 580.742500	80w90 285ml	Tecumseh 5HP	3800	3500
0503-0	Generac	2.8 GPM 2300 psi Sears 580.742650	80w90 285ml	Generac GN191 6.5HP	3800	3550
0503-1	Generac	2.8 GPM 2300 psi Sears 580.742651	80w90 285ml	Generac GN191 6.5HP	3800	3550
0504-0	Generac	3.0 GPM 2600 psi Sears 580.742780	80w90 285ml	Generac GN220 7.8HP	3800	3550
0504-1	Generac	3.0 GPM 2600 psi Sears 580.742781	80w90 285ml	Generac GN220 7.8HP	3800	3550
0505-0	Lavor	2.0 GPM 1500 psi Sears 580.741380	30w non-detergent or 15w40 100-120ml	B & S Quantum 4HP	3200	2900
0580-0	Lavor	1.7 GPM 1150 psi	80W90 50-60ml	Electric Motor	N/A	N/A
0597-0	Generac	2.0 GPM 1500 psi	80w90 285ml	B & S 3.5HP	3900	3500
0597-1	Generac	2.0 GPM 1500 psi	80w90 285ml	B & S 3.5HP	3800	3500
0599-0	Annovi	2.0 GPM 1500 psi	30w non-detergent 5oz	B & S 3.5HP	3700	3500
0599-1	Annovi	2.0 GPM 1400 psi	30w non-detergent 5oz	B & S 3.5HP	3600	3400
0602-0	Generac	3.0 GPM 1900 psi	80w90 285ml	Generac GN191 6.5HP	3700	3500
0602-1	Generac	3.0 GPM 2000 psi	80w90 285ml	Generac GN191 6.5HP	3800	3550
0603-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3800	3500
0606-0	General	4.0 GPM 3000 psi	30w non-detergent dipstick	Generac GN360 13HP	3800	3500
0606-1	General	4.0 GPM 3000 psi	30w non-detergent dipstick	Generac GN360 13HP	3600	3450
0615-0	Generac	2.5 GPM 1900 psi Sears Can 71-676190	80w90 285ml	Tecumseh 5HP	3800	3500
0616-0	Lavor	2.0 GPM 1500 psi Sears Can 71-676150	30w non-detergent or 15w40 100-120ml	B & S Quantum 4HP	3200	2900
0657-0	Lavor	2.0 GPM 1500 psi	30w non-detergent or 15w40 100-120ml	B & S Quantum 4HP	3500	2850
0657-1	Lavor	2.0 GPM 1500 psi	30w non-detergent or 15w40 100-120ml	B & S Quantum 4HP	3500	2850
0658-0	Lavor	2.0 GPM 1500 psi	30w non-detergent or 15w40 100-120ml	B & S Quantum 4HP	3500	2850
0658-1	Lavor	2.0 GPM 1500 psi	30w non-detergent or 15w40 100-120ml	B & S Quantum 4HP	3500	2850
0659-0	Generac	2.0 GPM 2000 psi	80w90 285ml	B & S 5HP	3800	3550
0660-0	Generac	2.0 GPM 2000 psi	80w90 285ml	B & S 5HP	3800	3550
0762-0	Generac	1.5 GPM 1250 psi Sears 580.760210	80w90 65-70ml	Electric Motor	N/A	N/A
0763-0	Generac	2.0 GPM 1750 psi Sears 580.761750	80w90 120ml	B & S Quattro 4HP	3550	3200
0763-1	Generac	2.0 GPM 1750 psi Sears 580.761751	80w90 120ml	B & S Quattro 4HP	3550	3200

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
0764-0	Generac	2.2 GPM 2250 psi Sears 580.762250	80w90 300ml	B & S Quantum 6HP	3800	3500
0765-0	Generac	2.9 GPM 2600 psi Sears 580.762600	80w90 285ml	Generac GN220 7.8HP	3800	3550
0765-1	Generac	2.9 GPM 2600 psi Sears 580.762601	80w90 285ml	Generac GN220 7.8HP	3800	3550
0766-0	Generac	2.6 GPM 3000 psi Sears 580.763000	80w90 285ml	Generac GN220 7.8HP	3800	3550
0766-1	Generac	2.6 GPM 3000 psi Sears 580.763001	80w90 285ml	Generac GN220 7.8HP	3800	3550
0773-0	Generac	3.0 GPM 2100 psi	80w90 285ml	Generac GN191 6.5HP	3800	3550
0774-0	Generac	3.0 GPM 2500 psi	80w90 285ml	Generac GN220 7.8HP	3800	3550
0775-0	Generac	2.5 GPM 3000 psi	80w90 285ml	Generac GN220 7.8HP	3800	3550
0776-0	Generac	1.5 GPM 1300 psi	80w90 65-70ml	Electric Motor	N/A	N/A
0776-1	Generac	1.5 GPM 1250 psi Sears 580.760200	80w90 65-70ml	Electric Motor	N/A	N/A
0778-0	Generac	2.0 GPM 1500 psi	80w90 120ml	B & S Quattro 4HP	3500	2850
0790-0	Generac	2.0 GPM 1650 psi Sears 580.761650	80w90 120ml	B & S Sprint 4HP	3550	3200
0790-1	Generac	2.0 GPM 1650 psi Sears 580.761651	80w90 120ml	B & S Sprint 4HP	3550	3200
0790-2	Generac	2.0 GPM 1650 psi Sears 580.761652	80w90 120ml	B & S Sprint 4HP	3550	3200
0793-0	Generac	1.5 GPM 1250 psi Sears 580.760210	80w90 65-70ml	Electric Motor	N/A	N/A
0794-0	Generac	2.0 GPM 1750 psi Sears 580.677170	80w90 120ml	B & S Quattro 4HP	3550	3200
0795-0	Generac	2.2 GPM 2250 psi Sears 580.677220	80w90 285ml	B & S Quantum 6HP	3800	3500
0796-0	Faip	2.5 GPM 2000 psi	15w40 80ml	B & S Quantum	3650	2850
0797-0	Faip	3.0 GPM 2000 psi	15w40 80ml	Tecumseh 5.5HP	3800	3650
0799-0	Generac	2.0 GPM 1750 psi	80w90 120ml	B & S Quantum 5HP	3500	2800
0799-1	Generac	2.0 GPM 1750 psi	80w90 120ml	B & S Quantum 5HP	3500	2850
0800-0	Generac	2.5 GPM 3000 psi	80w90 285ml	Generac GN220 7.8HP	3800	3550
0800-1	Generac	2.5 GPM 3000 psi	80w90 285ml	Generac GN220 7.8HP	3800	3550
1007-0	Generac	1.5 GPM 1250 psi Sears 580.760220	80w90 65-70ml	Electric Motor	N/A	N/A
1014-0	Annovi	4.0 GPM 3200 psi	30w non-detergent dipstick	Honda 11HP	3800	3400
1014-1	General	4.0 GPM 3200 psi	30w non-detergent dipstick	Honda 11HP	3800	3400
1018-0	Generac	2.0 GPM 1750 psi	80w90 120ml	Tecumseh Centura 6HP	3700	3200
1037-0	Generac	2.0 GPM 1750 psi	80w90 120ml	B & S Sprint 4HP	3700	3200
1038-0	Generac	2.0 GPM 1750 psi	80w90 120ml	B & S Quantum 5HP	3700	3200
1039-0	Generac	2.5 GPM 1850 psi	80w90 120ml	B & S Quantum 6HP	3730	3260
1040-0	Generac	2.0 GPM 2000 psi	80w90 300ml	B & S Quantum 6HP	3700	3450
1040-1	Generac	2.0 GPM 2000 psi	80w90 300ml	B & S Quantum 6HP	3700	3450
1040-2	Generac	2.0 GPM 2000 psi	80w90 300ml	B & S Quantum 6HP	3700	3450
1042-1	Generac	2.22 GPM 2250 psi	80w90 285ml	B & S Intek 6.5HP	3650	3400
1042-2	Generac	2.22 GPM 2250 psi	80w90 285ml	B & S Vanguard 6HP	3650	3400
1042-3	Generac	2.22 GPM 2250 psi	80w90 285ml	B & S Intek 6.5HP	3650	3400
1042-4	Generac	2.22 GPM 2250 psi	80w90 285ml	B & S Intek 6.5HP	3650	3400
1043-0,2,3	Generac	2.5 GPM 2700 psi	80w90 285ml	Generac GN220 7.8 HP	3750	3600
1044-0	Generac	2.5 GPM 3000 psi	80w90 285ml	Generac GN220 7.8HP	3750	3500
1046-0	Annovi	4.0 GPM 3500 psi	30w non-detergent dipstick	Generac GN360 13HP	3800	3500
1050-0	Generac	2.0 GPM 1800 psi Sears 580.761800	80w90 120ml	B & S Quantum 4.5HP	3700	3250
1050-1	Generac	2.0 GPM 1800 psi Sears 580.761801	80w90 120ml	Tecumseh Centura 6HP	3700	3260

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
1051-0,1,2	Generac	2.2 GPM 2200 psi Sears 580.762200	80w90 300ml	Tecumseh Centura 6.75HP	3700	3450
1052-0,1	Generac	2.0 GPM 1800 psi Sears 580.768010	80w90 120ml	B & S 5HP Quantum	3700	3250
1053-0	Generac	2.0 GPM 1900 psi Sears 580.768110	80w90 120ml	B & S 5HP Quantum	3700	N/A
1054-0	Generac	2.2 GPM 2000 psi Sears 580.762010	80w90 285ml	Honda 5HP	3700	3450
1054-2	Generac	2.2 GPM 2000 psi Sears 580.762012	80w90 285ml	Honda 5HP	3700	3450
1055-0	Generac	2.0 GPM 1800 psi Sears 580.761810	80w90 120ml	Tecumseh 6HP	3700	3450
1057-0	Annovi	2.0 GPM 1500 psi	80w90 120ml	Tecumseh 3.5HP	3900	3550
1058-0	Generac	2.0GPM 1500 psi Sears 580.768001	80w90 120ml	B & S Sprint 3.75 HP	3700	N/A
1067-0	Generac	2.0 GPM 1500 psi	80w90 120ml	B & S Sprint 4HP	3700	3200
1120-0	Generac	2.0 GPM 1750 psi	80w90 120ml	B & S Quantum 5HP	3700	3200
1124-0	Annovi	3.0 GPM 3000 psi	30w non-detergent dipstick	B & S Vanguard 9HP	3700	3550
1132-0	General	3.0 GPM 2500 psi	30w non-detergent dipstick	B & S Vanguard 6HP	3650	3400
1139-0	Generac	2.0 GPM 1800 psi	80w90 120ml	Tecumseh Centura 6HP	3700	3260
1171-0	Generac	2.0 GPM 1500 psi	80w90 120ml	B & S Sprint 4HP	3700	3200
1172-0	Generac	2.22 GPM 2250 psi	80w90 285ml	B & S Intek 6.5HP	3650	3400
1172-1	Generac	2.22 GPM 2250 psi	80w90 285ml	B & S Intek 6.5HP	3650	3400
1172-2	Generac	2.22 GPM 2250 psi	80w90 285ml	B & S Intek 6.5HP	3650	3400
1173-0	Generac	2.5 GPM 2700 psi	80w90 285ml	Generac GN220 7.8HP	3750	3600
1195-0	Generac	2.0 GPM 1800 psi	80w90 120ml	Honda 5HP	3700	3450
1210-0	Generac	2.5 GPM 3000 psi Sears 580.768050	80w90 285ml	Generac GN220 7.8HP	3700	2850
1211-0	General	2.5 GPM 2500 psi Sears 580.768040	30w non-detergent dipstick	B & S 6.5HP	3700	2400
1212-0	Generac	2.5 GPM 2250 psi Sears 580.768030	80w90 285ml	Tecumseh 6HP	3700	2200
1279-0	Generac	1.5 GPM 1300 psi Sears 580.760000	80w90 65-70ml	Electric Motor	N/A	N/A
1279-1	Generac	1.5 GPM 1300 psi Sears 580.760001	80w90 65-70ml	Electric Motor	N/A	N/A
1279-2	Generac	1.5 GPM 1300 psi Sears 580.760002	80w90 65-70ml	Electric Motor	N/A	N/A
1279-3	Generac	1.5 GPM 1300 psi Sears 580.760003	80w90 65-70ml	Electric Motor	N/A	N/A
1282-0	Generac	2.0 GPM 2000 psi Sears 580.768020	80w90 120ml	B & S 6HP	3700	N/A
1292-0	General	2.9 GMP 2300 psi	30w non-detergent 7oz or 200ml	B & S Intek 6HP	3700	3650
1292-1	General	2.9 GMP 2300 psi	30w non-detergent 7oz or 200ml	B & S Intek 6HP	3700	3650
1292-2	General	2.9 GMP 2300 psi	30w non-detergent 7oz or 200ml	B & S Intek 6HP	3700	3650
1292-3	General	2.9 GMP 2300 psi	30w non-detergent 7oz or 200ml	B & S Intek 6HP	3700	3650
1293-0	General	2.7 GPM 2700 psi	30w non-detergent dipstick	Generac GN220 7.8HP	3750	3620
1293-1	General	2.7 GPM 2700 psi	30w non-detergent	Generac GN220 7.8HP	3750	3620
1293-2	General	2.7 GPM 2700 psi	30w non-detergent	Generac GN220 7.8HP	3750	3620
1294-0	Generac	2.5 GPM 2200 psi	80w90 285ml	Honda GC160 5HP	3700	N/A
1295-0	General	4.0 GPM 3200 psi	30w non-detergent dipstick	Honda 11HP	3700	N/A
1296-0	Generac	2.0 GPM 1800 psi	80w90 140ml	Honda 4.0 HP	3700	N/A
1297-0	Generac	1.5 GPM 1400 psi	80w90 65-70ml	Electric Motor	N/A	N/A
1330-0	Generac	2.0 GPM 2000 psi	80w90 120ml	Honda 5.0 HP	3700	N/A
1331-0	Generac	2.5 GPM 2250 psi	80w90 285ml	Honda GC160 5HP	3700	N/A
1417-0	Generac	3.0 GPM 2500 psi	80w90 285ml	Honda GX 200 6.5HP	3700	N/A
1417-1	General	3.0 GPM 2500 psi	30w non-detergent dipstick	Honda GX 200 6.5HP	3700	N/A
1418-0	Generac	3.0 GPM 3000 psi	80w90 285ml	Honda GX 240 8.0HP	3750	N/A

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
1418-1,2	Annovi	3.0 GPM 3000 psi	30w non-detergent dipstick	Honda GX 240 8.0HP	3750	N/A
1420-0	Annovi	4.0 GPM 3500 psi	30w non-detergent dipstick	Honda 13 HP	3650	N/A
1421-0	Annovi	4.0 GPM 4000 psi	SAE 20-30W dipstick	Generac GN 410 15 HP	3800	N/A
1429-0	Generac	2.0 GPM 2000 psi	80w90 120ml	Tecumseh 5.5HP	3650	N/A
1430-0	Generac	2.0 GPM 2100 psi	80w90 120ml	Tecumseh 6.25HP	3650	N/A
1431-0	Generac	2.0 GPM 2000 psi Sears 580.768320	80w90 140ml	Honda GCV135 4.5HP	3350	N/A
1431-1	Generac	2.0 GPM 2000 psi Sears 580.768321	80w90 140ml	Honda GCV135 4.5HP	3350	N/A
1431-2	Generac	2.0 GPM 2000 psi Sears 580.768322	80w90 140ml	Honda GCV135 4.5HP	3350	N/A
1431-3	Generac	2.0 GPM 2000 psi	80w90 140ml	Honda GCV160 4.5HP	3350	N/A
1431-4	Generac	2.0 GPM 2000 psi	80w90 140ml	Honda GCV160 4.5HP	3350	N/A
1432-0	Generac	2.0 GPM 2000 psi CS	80w90 120ml	B+S Quantum 6.0HP	3650	N/A
1433-0	Generac	2.2 GPM 2400 psi Sears 580.768330	80w90 140ml	B+S Intek 6.0HP	3650	N/A
1433-1	Generac	2.2 GPM 2400 psi Sears 580.768331	80w90 140ml	B+S Intek 6.0HP	3650	N/A
1433-2	Generac	2.2 GPM 2400 psi Sears 580.768331	80w90 140ml	B+S Intek 6.0HP	3650	N/A
1434-0,1	Generac	2.2 GPM 2400 psi Sears 580.768340	80w90 140ml	Honda GCV160 5.5HP	3650	N/A
1434-2	Generac	2.2 GPM 2400 psi Sears 580.768341	80w90 140ml	Honda GCV160 5.5HP	3650	N/A
1435-0	Generac	2.2 GPM 2400 psi Sears 580.768350	80w90 140ml	Honda GCV160 5.5HP	3650	N/A
1439-0	Generac	2.2 GPM 2100 psi	80w90 120ml	B+S Quantum 6.0HP	3650	N/A
1439-1	Faip	2.0 GPM 2100 psi	190586GS # See note at end of chart	B+S Quantum 6.0HP	3650	N/A
1440-0	Generac	2.2 GPM 2400 psi	80w90 140ml	B+S Intek 6.0HP	3700	N/A
1441-0	Generac	3.0 GPM 2600 psi	80w90 285ml	B+S Intek 6.5HP	3650	N/A
1443-0	Generac	3.0 GPM 2500 psi	80w90 285ml	B+S ES 6.5HP	3650	N/A
1450-0	Generac	2.2 GPM 2400 psi	80w90 140ml	Honda GC160 5HP	3000	N/A
1450-2	Faip	2.2 GPM 2400 psi	190585GS # See note at end of chart	Honda GC 160 5HP	3750	N/A
1455-0	Generac	1.5 GPM 1400 psi	80w90 65-70ml	Electric Motor	N/A	N/A
1456-0	Generac	2.5 GPM 2400 psi	80w90 285ml	Honda GX 5.5HP	3700	N/A
1460-0	Generac	2.2 GPM 2300 psi	80w90 140ml	Honda 5.0HP	3550	N/A
1460-1	Generac	2.2 GPM 2300 psi	80w90 140ml	Honda 5.0HP	3550	N/A
1467-0,1,2,3	Generac	2.0 GPM 1700 psi	80w90 120ml	B & S Classic 4.0 HP	3600	N/A
1536-0	Generac	2.0 GPM 2100 psi	80w90 140ml	B & S Quantum 6 HP	3650	N/A
1536-1	Generac	2.0 GPM 2100 psi	80w90 140ml	B & S Quantum 6 HP	3650	N/A
1537-0	Generac	2.2 GPM 2400 psi	80w90 140ml	Honda GCV160 5.5HP	3650	N/A
1537-1	Generac	2.2 GPM 2400 psi	80w90 140ml	Honda GCV160 5.5HP	3650	N/A
1538-0	Generac	3.0 GPM 2500 psi	80w90 285ml	Honda GX 200 6.5HP	3700	N/A
1538-1	Generac	3.0 GPM 2500 psi	80w90 285ml	Honda GX 200 6.5HP	3700	N/A
1539-0	Annovi	3.0 GPM 3000 psi	30w non-detergent dipstick	Honda GX270 9 HP	3750	N/A
1540-0	CAT	4.0 GPM 3500 psi	* See note at end of chart	Honda GX390 13 HP	3750	N/A
1541-0	Generac	2.0 GPM 1800 psi Sears 580.76101	80w90 140ml	B & S Quantum 4.5 HP	3650	N/A
1542-0	Generac	2.0 GPM 2100 psi Sears 580.76710	80w90 140ml	B & S Quantum 5 HP	3650	N/A
1542-1	Faip	2.0 GPM 2100 psi Sears 580.767101	190586GS # See note at end of chart	B & S Quantum 5 HP	3650	N/A
1543-0	Generac	2.2 GPM 2250 psi Sears 580.76720	80w90 140ml	B & S Intek 5.5 HP	3650	N/A
1543-1	Generac	2.2 GPM 2250 psi Sears 580.767201	80w90 140ml	B & S Intek 5.5 HP	3650	N/A
1545-0	Generac	2.2 GPM 2400 psi Sears 580.76730	80w90 140ml	B & S Intek 190 6.25 HP	3650	N/A
1550-0	Generac	2.2 GPM 2300 psi	80w90 140ml	Tecumseh Enduro 6 HP	3650	N/A

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
1579-0	Generac	2.5 GPM 2300 psi Country Home Products	80w90 285ml	B & S Intek 190 5.5 HP	3700	N/A
1580-0	Generac	3.0 GPM 2500 psi Country Home Products	80w90 285ml	B & S Intek 206 6.5 HP	3750	N/A
1581-0	Generac	3.0 GPM 3000 psi Country Home Products	80w90 285ml	B & S Intek 305 8.0 HP	3750	N/A
1587-0	Generac	2.2 GPM 2400 psi	80w90 140ml	B & S Intek 206 6.5 HP	3650	N/A
1660-0	Faip	2.5 GPM 2400 psi Snapper	190585GS # See note at end of chart	B & S Intek 6 HP	3700	N/A
1661-0	Annovi	2.5 GPM 2700 psi Snapper	30w non-detergent	B & S Vanguard 7.5 HP	3750	N/A
1662-0	Annovi	3.5 GPM 3500 psi Snapper	30w non-detergent	B & S Vanguard 13 HP	3650	N/A
1670-0	Generac	2.5 GPM 2250 psi Sears 580.767202	80w90 140 ML	B & S Intek 5.5 HP	3650	N/A
1671-0	Faip	2.2 GPM 2400 psi Sears 580.767301	190585GS # See note at end of chart	B & S Intek 6.5HP	3650	N/A
1671-1	Faip	2.2 GPM 2400 psi Sears 580.767302	190585GS # See note at end of chart	B & S Intek 6.5HP	3650	N/A
1672-0	Faip	2.5 GPM 2500 psi Sears 580.767450	190585GS # See note at end of chart	B & S Intek 6.75 HP	3650	N/A
1673-0	Annovi	2.5 GPM 2700 psi Sears 580.767700	190656GS # See note at end of chart	B & S Intek 7.0 HP	3650	N/A
1674-0	Faip	2.0 GPM 2300 psi	190586GS # See note at end of chart	B & S Quantum-XTL 6.0 HP	3650	N/A
1675-0	Faip	2.5 GPM 2400 psi	190585GS # See note at end of chart	Honda-GC 160 5.0 HP	3750	N/A
1676-0	Annovi	2.5 GPM 2600 psi	190656GS # See note at end of chart	B & S Intek 206 6.5 HP	3650	N/A
1676-1	Generac	2.5 GPM 2700psi	80w90 285ml	B & S Intek 6.5HP	3650	N/A
1694-0	Faip	2.0 GPM 1900 psi	190586GS # See note at end of chart	B & S Sprint 4HP	3650	N/A
1694-1	Faip	2.0 GPM 1900 psi	190586GS # See note at end of chart	B & S Classic 3.75 HP	3750	N/A
1694-4						
1706	Faip	2.0 GPM 2000 psi	unknown at this time	B & S Sprint 3 HP	3650	
1770	Faip	2.0 GPM 2300 psi	190586GS # See note at end of chart	B & S Quantum 6 HP	3650	N/A
1771	Faip	2.5 GPM 2500 psi	190585GS # See note at end of chart	B & S Intek 6 HP	3700	N/A
1778	Faip	2.5 GPM 2400 psi	190585GS # See note at end of chart	B & S Intek 6 HP	3700	
1779	Annovi	2.5 GPM 2700 psi	30w non-detergent dipstick	B & S Vanguard 7.5 HP	3600	
1780	Annovi	3.5 GPM 3500 psi	30w non-detergent dipstick	B & S Vanguard 13 HP	3600	
1793-0	Faip	2.2 GPM 2400 psi	190585GS # See note at end of chart	B & S Intek 6HP	3650	N/A
1802	Faip	2.0 GPM 2300 psi	190586GS # See note at end of chart	B&S Quantum 6.5HP	3650	
1804	Faip	2.5 GPM 2500 psi	190585GS # See note at end of chart	B&S Intek 190 6.5HP	3750	
1806	Annovi	2.5 GPM 2650 psi	190656GS # See note at end of chart	B&S Intek 206 6.5HP	3650	
1807	Faip	2.0 GPM 2300 psi	190586GS # See note at end of chart	B&S Quantum 6.0HP	3650	
1808	Annovi	4.0 GPM 3400 psi	30w non-detergent dipstick	B & S Intek 305 10HP	3750	
1811-0	Faip	2.0 GPM 1800 psi	190586GS # See note at end of chart	B & S Quantum-XM 4.5 HP	3650	N/A
1898	Faip	2.0 GPM 2000 psi	190586GS # See note at end of chart	B & S Classic 3.75 HP	3750	
1899-0	Faip	2.0 GPM 2300 psi	190586GS # See note at end of chart	B & S Quantum X 6HP	3650	
1900	Faip	2.5 GPM 2600 psi	190585GS # See note at end of chart	B & S Intek 190 7HP	3700	
1901	Faip	2.5 GPM 2550 psi	190585GS # See note at end of chart	B & S Intek 206 6.5HP	3750	
1902	Faip	2.0 GPM 2350 psi	190586GS # See note at end of chart	B & S Quantum X 6.5HP	3650	
1903	Faip	2.5 GPM 2450 psi	190585GS # See note at end of chart	Honda GC160 5HP	3750	
1904-0,1	Annovi	2.6 GPM 2850 psi	190656GS # See note at end of chart	B & S Intek 206 6.75HP	3700	
1905	Annovi	3.2 GPM 3400 psi	30w non-detergent dipstick	B & S Vanguard 9HP	3750	
1906	CAT	4.0 GPM 3700 psi	* See note at end of chart	Honda GX390 13 HP	3750	
1906-1	CAT	4.0 GPM 3700 psi	* See note at end of chart	Honda GX390 13 HP	3750	
1908	Faip	2.0 GPM 1900 psi	190586GS # See note at end of chart	B & S Classic 3.75 HP	3750	
1908-2						
1909	Faip	2.0 GPM 2300 psi	190586GS # See note at end of chart	B & S Quantum 6 HP	3650	
1910	Faip	2.4 GPM 2500 psi	190585GS # See note at end of chart	B & S Intek 206 6.5 HP	3750	

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
1920	Annovi	4.0 GPM 3400 psi	30w non-detergent dipstick	B & S Intek 341 11HP	3750	
1936	Faip	2.5 GPM 2550 psi	190585GS # See note at end of chart	B & S Intek 206 6.5 HP	3750	
1937-0	Annovi	2.5 GPM 2800 psi	190656GS # See note at end of chart	B & S Intek 206 6.5 HP	3700	
1937-1	Annovi	2.5 GPM 2650 psi	190656GS # See note at end of chart	B&S Intek 206 6.5HP	3700	
1973-0	Faip	2.0 GPM 2000 psi	190586GS # See note at end of chart	B&S Sprint 3.75 HP	3750	
1974-0	Faip	2.0 GPM 2100 psi	190586GS # See note at end of chart	B&S Sprint 3.75 HP	3750	
1974-2						
1988-0	Annovi	3.2 GPM 3400 psi	30w non-detergent dipstick	B&S Vanguard 9 HP	3750	
9582-0	Annovi	2.0 GPM 1400 psi	30w non-detergent 5oz	B & S 3.5HP	3800	3450
9582-1	Annovi	2.0 GPM 1400 psi	30w non-detergent 5oz	B & S 3.5HP	3800	3450
9583-0	Annovi	2.0 GPM 1400 psi	30w non-detergent 5oz	Tecumseh 3HP	3800	3000
9583-1	Annovi	2.0 GPM 1400 psi	30w non-detergent 5oz	Tecumseh 3HP	3800	3000
9584-0	Annovi	3.0 GPM 1500 psi	30w non-detergent dipstick	B & S 5HP	3800	3450
9584-1	Annovi	3.0 GPM 1500 psi	30w non-detergent dipstick	B & S 5HP	3800	3450
9584-2	Annovi	3.0 GPM 1500 psi	30w non-detergent dipstick	B & S 5HP	3800	3450
9585-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9585-1	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9585-2	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9585-3	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9585-4	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9606-0	Karcher	1.8 GPM 1100 psi	30w non-detergent 150ml	Electric Motor	N/A	N/A
9617-1	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9617-2	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9617-3	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9618-0	Annovi	2.0 GPM 1400 psi	30w non-detergent 5oz	Tecumseh 3HP	3800	3000
9619-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9673-0	Annovi	3.0 GPM 1500 psi	30w non-detergent dipstick	B & S 5HP	3800	3450
9674-1	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9674-2	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9694-0	Annovi	3.0 GPM 1500 psi	30w non-detergent dipstick	Generac GN160 5.5HP	3600	3450
9701-0	Annovi	3.0 GPM 1500 psi	30w non-detergent dipstick	Generac GN160 5.5HP	3600	3450
9724-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9728-0	General	4.0 GPM 3000 psi	30w non-detergent dipstick	Generac GN360 13HP	3800	3500
9737-0	Karcher	1.8 GPM 1150 psi	30w non-detergent 150ml	Electric Motor	N/A	N/A
9750-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9761-0	General	3.0 GPM 2000 psi	30w non-detergent dipstick	Generac GN160 5.5HP	3600	3450
9762-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	.	3600	3450
9765-0	General	4.0 GPM 3000 psi	30w non-detergent dipstick	Generac GN360 13HP	3800	3500
9767-0	Annovi	2.0 GPM 1400 psi	30w non-detergent 5oz	B & S 3.5HP	3800	3450
9768-0	Annovi	3.0 GPM 1500 psi	30w non-detergent dipstick	B & S 5HP	3800	3450
9769-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9818-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9818-1	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9833-0	Annovi	2.0 GPM 1400 psi	30w non-detergent 5oz	B & S 3.5HP	3600	3450
9834-0	Annovi	3.0 GPM 2200 psi	30w non-detergent dipstick	Generac GN220 7.8HP	3600	3450
9852-0	Annovi	2.0 GPM 1500 psi	30w non-detergent 5oz	B & S 3.5HP	3600	3450
9858-0	General	3.0 GPM 2000 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9858-1	General	3.0 GPM 2000 psi	30w non-detergent dipstick	Generac GN191 6.5HP	3600	3450
9895-0	Annovi	2.0 GPM 1500 psi Sears 580.751350	30w non-detergent 5oz	Tecumseh 3.5HP	3900	3550
9896-0	Generac	2.5 GPM 1800 psi Sears 580.751500	80w90 285ml	B & S 5HP	3800	3550
9897-0	Generac	3.0 GPM 2200 psi Sears 580.751650	80w90 285ml	Generac GN220 7.8HP	3800	3500
9897-1	Generac	3.0 GPM 2200 psi Sears 580.751651	80w90 285ml	Generac GN220 7.8HP	3800	3550
9898-0	Generac	3.0 GPM 2500 psi Sears 580.751780	80w90 285ml	Generac GN220 7.8HP	3800	3550
9898-1	Generac	3.0 GPM 2500 psi Sears 580.751781	80w90 285ml	Generac GN220 7.8HP	3800	3550

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
9898-2	Generac	3.0 GPM 2500 psi Sears 580.751782	80w90 285ml	Generac GN220 7.8HP	3800	3550
20200	Faip	2.5GPM 2700psi	190585GS # See note at end of chart	B & S Intek 7 HP	3700	
20201	Faip	2.2GPM 2500psi	190586GS # See note at end of chart	B & S Intek 190 6.75 HP	3800	
20202	Faip	2.0GPM 2000psi	190585GS # See note at end of chart	B & S Sprint 3.75 HP	3800	
20203	Faip	2.5GPM 2800psi	190585GS # See note at end of chart	B & S Intek 190 7 HP	3750	
20204	Annovi	2.7GPM 3000psi	190656GS # See note at end of chart	B & S Intek 206 7.25 HP	3750	
20206	Faip	2.0GPM 2050psi	190586GS # See note at end of chart	B & S Quattro 3.75 HP	3750	
20206-2						
20207	Faip	2.0GPM 2450psi	190586GS # See note at end of chart	B & S Quantum X 6.75 HP	3650	
20208	Faip	2.5GPM 2700psi	190585GS # See note at end of chart	B & S Intek 6.5HP	3750	
20209	Annovi	2.7GPM 3000psi	190656GS # See note at end of chart	B & S Intek 206 7.25 HP	3750	
20210	Annovi	4.0GPM 3700psi	30w non-detergent dipstick	Honda GX 390 13 HP	3800	
20211	Faip	2.0GPM 2000psi	190586GS # See note at end of chart	B & S Quattro 3.75 HP	3750	
20211-2	Faip		190586GS # See note at end of chart	B & S Sprint 3.75 HP	3750	
20212	Faip	2.5GPM 2800psi	190585GS # See note at end of chart	B & S Intek 206 6.5 HP	3750	
20212-1	Annovi	2.5GPM 2800psi	190656GS # See note at end of chart	B & S Intek 6.5 HP	3700	
20214	Faip	2.0GPM 1950psi	190586GS # See note at end of chart	B & S Quattro 3.75 HP	3750	
20214-2	Faip	2.0GPM 1950psi	190586GS # See note at end of chart	B & S Sprint 3.75 HP	3750	
20215	Faip	2.0GPM 2400psi	190586GS # See note at end of chart	B & S 6.5 HP Quantum	3800	
20216	Faip	2.5GPM 2600psi	190585GS # See note at end of chart	B & S Intek 206 6.5HP	3700	
20217	Faip	2.0GPM 2450psi	190586GS # See note at end of chart	B & S Quantum X 6.75 HP	3800	
20218	Faip	2.0GPM 1950psi	190586GS # See note at end of chart	B & S Sprint 3.75 HP	3750	
20218-2	Faip	2.0GPM 2000psi	190586GS # See note at end of chart	B & S Sprint 3.75 HP	3750	
20219	Faip	2.0 GPM 2450psi	190586GS # See note at end of chart	B & S Quantum 6.75 HP	3800	
20220	Faip	2.5GPM 2600psi	190585GS # See note at end of chart	B & S Intek 6.5HP	3700	
20221	Annovi	4.0GPM 3400psi	30w non-detergent dipstick	B & S Intek 10 HP	3750	
20222	Faip	2.0GPM 1950psi	190586GS # See note at end of chart	B & S Quattro 3.75 HP	3750	
20222-2	Faip	2.0GPM 2000psi	190586GS # See note at end of chart	B & S Quattro 3.75 HP	3750	
20223	Faip	2.0GPM 2400psi	190586GS # See note at end of chart	B & S Quantum 6 HP	3650	
20224	Faip	2.5GPM 2700psi	190585GS # See note at end of chart	B & S Intek 6.5 HP	3750	
20225	Annovi	4.0GPM 3200psi	30w non-detergent dipstick	B & S Intek 10 HP	3750	
20226	Faip	2.5GPM 2650psi	190585GS # See note at end of chart	B & S Intek X 5.3 HP	3750	
20227	Faip	2.0GPM 2400psi	190586GS # See note at end of chart	B & S Quantum 6 HP	3650	
20228	Faip	1.9GPM 2200psi	190586GS # See note at end of chart	B & S Sprint 4.5 HP	3750	
20228-2	Faip	2.0GPM 2000psi	190586GS # See note at end of chart	B & S Sprint 4.5 HP	3750	
20229	Faip	2.0GPM 2450psi	190586GS # See note at end of chart	B & S Quantum 6.75 HP	3650	
20230	Faip	2.5GPM 2650psi	190585GS # See note at end of chart	B & S Intek X 5.3 HP	3750	

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
20231	Annovi	2.7GPM 3000psi	190586GS # See note at end of chart	B & S Intek X 6.5 HP	3750	
20232	Faip	1.9GPM 2150psi	190586GS # See note at end of chart	B & S Sprint 4.5 HP	3750	
20232-1	Faip	1.9GPM 2150psi	190586GS # See note at end of chart	B & S Sprint 4.0 HP	3750	
20232-2	Faip	1.9GPM 2150psi	2.2 OZ of oil	B & S Sprint 4.0 HP	3750	
20233	Faip	2.0GPM 2550psi	190586GS # See note at end of chart	B & S Quantum 6.75 HP	3650	
20234	Faip	2.0GPM 2550psi	190586GS # See note at end of chart	B & S Quantum 6.75 HP	3650	
20235	Faip	2.3GPM 2900psi	190585GS # See note at end of chart	B & S Intek 7 HP	3800	
20236	Faip	2.3GPM 2900psi	190585GS # See note at end of chart	B & S Intek 7 HP	3800	
20237	Annovi	4.0GPM 3700psi	30w non-detergent dipstick	Honda 13 HP	3750	
20238	Faip	1.9GPM 2000psi	190586GS # See note at end of chart	B & S Sprint 3.75 HP	3800	
20239-0,1	Faip	1.9GPM 2200psi	190586GS # See note at end of chart	B & S Quatro 4.0 HP	3800	
20240	Faip	2.3GPM 2550psi	190586GS # See note at end of chart	B&S Quantum 6.75 HP	3650	
20241	Faip	2.5GPM 2600psi	190585GS # See note at end of chart	Honda GC160 5.0HP	3800	
20242	Faip	2.5GPM 3000psi	190585GS # See note at end of chart	B & S Intek 7.0HP	3750	
2042-1	Annovi	2.8GPM 3000psi	190656GS # See note at end of chart	B & S Intek 7.0HP	3750	
20242-4	Faip	2.5GPM 3000psi	190585GS # See note at end of chart	B & S Intek 7.0HP	3750	
20244	Faip	1.9GPM 2050psi	190586GS # See note at end of chart	B & S Sprint B 3.75 HP	3750	
20244-1	Faip	1.9GPM 2050psi	190586GS # See note at end of chart	B & S Sprint B 3.75 HP	3750	
20245	Faip	2.2GPM 2200psi	190586GS # See note at end of chart	B & S Sprint 4.5 HP	3750	
20245-1	Faip	2.2GPM 2200psi	190586GS # See note at end of chart	B & S Sprint 4.5 HP	3750	
20245-2	Faip	1.9GPM 2200psi	190586GS # See note at end of chart	B & S Sprint 4.5 HP	3750	
20245-3	Faip	2.0GPM 2000psi	190586GS # See note at end of chart	B & S Sprint 4.5 HP	3750	
20246	Faip	2.2GPM 2800psi	190585GS # See note at end of chart	Honda GC 190 6.0 HP	3800	
20247-0,1	Faip	2.0GPM 2000psi	190586GS # See note at end of chart	B & S Sprint 3.75 HP	3800	
20248-0,1	Faip	2.0GPM 2000psi	190586GS # See note at end of chart	B & S Sprint 3.75 HP	3800	
20249-0,1	Faip	1.9GPM 2200psi	190586GS # See note at end of chart	B & S Sprint 4.5 HP	3750	
20250	Faip	2.0GPM 2550psi	190586GS # See note at end of chart	B & S Quantum 6.5 HP	3800	
20250-1	Faip	2.0GPM 2300psi	190586GS # See note at end of chart	B & S Quantum 6.5 HP	3800	
20251	Faip	2.8GPM 2900psi	190585GS # See note at end of chart	B & S Intek 7.0HP	3800	
20255	Faip	2.5 GPM 2600 psi	190585GS # See note at end of chart	Honda 5.0 HP	3850	
20258	CAT	4.0 GPM 4000psi	18.6 oz Cat oil	B & S Vanguard 13 HP	3750	
20261	Faip	1.9GPM 2200psi	190586GS # See note at end of chart	B & S Sprint 4 HP	3800	
20261-1	Faip	1.9GPM 2200psi	190586GS # See note at end of chart	B & S 4 HP	3800	
20262	Annovi	4.0GPM 3800psi	6033	Honda GX 390 13 HP	3750	
20263	Faip	2.8GPM 3100psi	190585GS # See note at end of chart	B & S Intek 7.0HP	3750	
20264	Faip	2.0 GPM 2500psi	190586GS # See note at end of chart	Honda 160GCV 5.5 HP	3750	
20265	Faip	2.3GPM 3000psi	190585GS # See note at end of chart	B & S Intek 7.0HP	3800	
20266	Faip	1.9GPM 2200psi	65 GRAINS of oil	B & S Sprint 4.5 HP	3800	
20266-2	Faip	1.9GPM 2200psi	190585GS # See note at end of chart	B & S Sprint 4.5 HP	3800	
20267	Faip	2.0GPM 2500psi	190586GS # See note at end of chart	B & S Quantum 6.0 HP	3750	
20268	Faip	2.0GPM 2550psi	190586GS # See note at end of chart	B & S Quantum 6.75 HP	3750	
20269	Faip	2.3GPM 3000psi	190585GS # See note at end of chart	B & S Intek 7.0HP	3800	
20270	Faip	2.7GPM 3000psi	190585GS # See note at end of chart	B & S Intek 5.3 HP	3750	
20271	Faip	2.0 GPM 1800 psi	190586GS # See note at end of chart	B & S Sprint 3.75 HP	3800	
20286	Faip	2.5 GPM 2800 psi	190585GS # See note at end of chart	B & S 6.75 HP	3750	
20287	Annovi	4.0 GPM 3800psi	30 W non-detergent dipstick	Honda 13 HP	3750	
20288	Faip	1.9 GPM 2200psi	190586GS # See note at end of chart	B & S Sprint 4 HP	3800	
20289	Faip	1.9 GPM 2200psi	190586GS # See note at end of chart	B & S Sprint 4 HP	3800	

Model	Pump	Description	Pump Oil/Qty (1ml = .0338oz)	Engine	RPM NL	RPM FL
-------	------	-------------	------------------------------	--------	--------	--------

\* NOTE: Model 1540, and 1906 ( Cat Pumps) requires 550ml of spec ISO68, Generac part # 188212GS multil viscosity synthetic oil.

\* NOTE: Units with this symbol require special blend pump oil. The part number for pump oil on these models have the correct quantity in the bottle for the pump listed.

\* NOTE: Special pump oils can be purchased by part number through local

190586GS	4.6 oz
190585GS	5.3 oz
190656GS	4.0 oz

\* NOTE: New Synthetic oil part # 6033 Can be used in all pumps.( Cat pump oil only in Cat pumps)